


EVER-GARD[®]
PAINT
SAFETY DATA SHEET
SECTION 1 – IDENTIFICATION

PRODUCT NAME: **Ultimax Hybrid Semi-Gloss**
PRODUCT NUMBER: **EV326-00 Product Line**
PRODUCT CLASS: **Latex Paint**
COLOR: **White**
REVISION DATE: **1/25/2018**

COMPANY IDENTIFICATION: Tibbetts Newport Corp.
STREET ADDRESS: 2337 S. Birch Street, Santa Ana, CA 92707
TELEPHONE #: (714) 546-6661 (Hours: Monday-Friday from 6:30AM – 3:00PM PST)
WEBSITE: www.tibbettpaint.com

IN CASE OF EMERGENCY: CHEMTREC 800-424-9300
 CHEMTREC (Outside US) 1+703-527-3887

RECOMMENDED USE:

SECTION 2 – HAZARDS IDENTIFICATION
GHS Label Elements

Hazard Pictograms: None

Signal Word: None

GHS Class: None

Hazard Statements: None

Precautionary Statements: None

SECTION 3 – COMOSITON/INFORMATION ON INGREDIENTS

Hazardous materials are disclosed according to the GHS requirements. Components not listed are either non-hazardous or are below reportable limits.

| Ingredient | CAS No. | Approximate Weight % |
|-------------------|----------------|-----------------------------|
| Titanium Dioxide | 13463-67-7 | 0-25 |
| Alkyd Resin | N/A | 15-25 |

SECTION 4 – FIRST AID MEASURES
Description of Necessary Measures

Skin Contact: Wash with soap and water thoroughly. Seek medical attention if irritation develops.

Eye Contact: Rinse with water for several minutes. Seek medical attention if irritation develops.

Inhalation: If breathing is difficult, move person to fresh air and keep at rest in comfortable breathing position. Call a physician if symptoms develop or persist.

Ingestion: Rinse mouth. If ingestion of large amount occurs, call a poison control center immediately. Do not induce vomiting.

Most important symptoms and effects, both acute and delayed

Most important known symptoms are detailed in Section 2 and Section 11.

Indication of any immediate medical attention and special treatment needed

No Data Available

SECTION 5 – FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water Fog, CO₂, Dry Chemical, Alcohol Resistant Foam.

Special Hazards: Carbon oxides

Advice for firefighters: Follow recommended procedures in handling fire areas. Wear fire-fighting equipment and self-contained breathing apparatus. If possible, move containers out of the fire area. Cool containers with water spray.

Further Information: Pressure may build inside the container.

SECTION 6 – ACCIDENTAL RELEASE-MEASURES

Personal Precautions: Use proper personal protective equipment including respirators, goggles, chemical resistant gloves, coveralls. Avoid breathing vapors, mist, or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate all personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

Environmental Precautions: Prevent further leakage or spillage if safe to do so. Do not let product enter drains and waterways.

Methods for clean-up: Soak up with inert absorbent material such as sand or saw dust then place in chemical waste container.

SECTION 7 – HANDLING AND STORAGE

Precautions for Safe Handling: Use with adequate ventilation. Avoid breathing excess vapors and prevent contact with eyes, skin, and clothing.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from sources of heat, combustible materials, and incompatible substances. Keep container tightly closed.

SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: Ensure adequate ventilation, especially in confined areas. When ventilation is insufficient to control airborne levels, equip personal protective equipment which meets the OSHA standards.

Personal Protective Equipment

Eye/Face Protection: Wear splash goggles or face shields which are approved by NIOSH.

Skin Protection: Handle with protective chemical resistant gloves.

Respiratory Protection: If air-purifying respirators are appropriate, use respirators and components tested and approved by NIOSH.

Hygiene Measures: Avoid contact with skin, eyes, and clothing. Remove and wash contaminated clothing before re-use. Wash thoroughly after handling.

Control Parameters:

| Chemical Name | CAS No. | Weight% | Cal-OSHA PEL TWA | OSHA PEL TWA | ACGIH TWA |
|------------------|------------|---------|--|----------------------|----------------------|
| Titanium Dioxide | 13463-67-7 | 0-25% | 5 mg/m ³ (Respirable Dust) | 15 mg/m ³ | 10 mg/m ³ |

| |
|---|
| SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES |
|---|

| | |
|-------------------------------|-------------------|
| Physical State: | Liquid |
| Color: | White |
| Odor: | Slight |
| Odor Threshold: | Not Available |
| Density (lbs/gal): | 10.0 – 11.0 |
| pH: | 8 – 9 |
| VOC Less Water (g/L): | Less than 50 |
| Boiling Point (F): | No Data |
| Freezing Point (F): | No Data |
| Flash Point (F): | No Data |
| Evaporation Rate: | Slower than ether |
| Upper Explosion Limit: | No Data |
| Lower Explosion Limit: | No Data |
| Vapor Pressure: | Not Available |
| Vapor Density: | Heavier than air |
| Solubility in Water: | Soluble |
| Partition Coefficient: | Not Available |
| Auto-Ignition Temp: | Not Available |
| Decomposition Temp: | Not Available |
| Viscosity (KU): | 95-105 |

| |
|--|
| SECTION 10 – STABILITY AND REACTIVITY |
|--|

| | |
|--|---|
| Reactivity: | None known |
| Chemical Stability: | Stable under normal conditions |
| Possibility of Hazardous Reactions: | None anticipated |
| Conditions to avoid: | Heat. |
| Incompatibility: | None known |
| Hazardous Decomposition: | Incomplete combustion may release carbon monoxide |

| |
|---|
| SECTION 11 – TOXICOLOGICAL INFORMATION |
|---|

Primary routes of exposure and Symptoms

| | |
|----------------------|---|
| Inhalation: | May cause respiratory tract, nose, and throat irritation. Symptoms may include headache, nausea, dizziness, drowsiness, and confusion. |
| Ingestion: | May cause irritation of the mouth, throat, and stomach. Can target organs if large quantities are ingested. |
| Skin Contact: | May cause skin irritation or drying of skin. |
| Eye Contact: | Causes eye irritation. |

Delayed and immediate effects and also chronic effects from short- and long-term exposure**Acute Toxicity by Component:**

| | |
|------------------|------------------------------------|
| Titanium Dioxide | |
| LD50 Oral: | >10,000 mg/kg (Rat) |
| LD50 Dermal: | >10,000 mg/m ³ (Rabbit) |

LC50 Inhalation (Dust): >6.82 mg/L (Rat, 4 hr)

Chronic Toxicity:

| Chemical Name | CAS No. | Weight% | IARC | NTP | ACGIH |
|-------------------|------------|---------|--------------------------------------|-----|---|
| Titanium Dioxide* | 13463-67-7 | 0-25% | 2B - Possibly Carcinogenic to Humans | | A4 - Not classifiable as human carcinogen |

*The IARC has classified titanium dioxide as possibly carcinogenic to humans (2B) but have also concluded that “No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as paint.” Titanium Dioxide is not classified as a carcinogen by NTP, OSHA, or the EPA.

SECTION 12 – ECOLOGICAL DATA

Ecotoxicity: No information available
Persistence and Degradability: No information available
Bioaccumulative Potential: No information available
Mobility in Soil: No information available
Other Adverse Effects: No information available

SECTION 13 – DISPOSAL CONSIDERATIONS

Waste Disposal Method: Disposal should be made in accordance with federal, state, and local regulations

SECTION 14 – TRANSPORT INFORMATION

DOT Not regulated
ICAO / IATA Not regulated
IMDG / IMO Not regulated

SECTION 15 – REGULATORY INFORMATION

No Information Available

SECTION 16 – OTHER INFORMATION

HMIS Ratings:
 Health: 1
 Flammability: 0
 Reactivity: 0

NFPA Ratings:
 Health: 1
 Flammability: 0
 Reactivity: 0

Disclaimer: To the best of our knowledge, this information is accurate. However, we do not guarantee its accuracy and cannot be liable for any damages actual and consequential which might result from reliance thereon.